Chemistry and Physics of Lipids, 55 (1990) 355—358
Elsevier Scientific Publishers Ireland Ltd.

Subject Index

Volume 55 (1990)

acidic phospholipids, vesicle membranes, bilayer phase transition, additive effect, cationic surfactants, 145
addition to the liposome solution, phospholipid liposomes, tocopherols and tocotrienols, changes in membrane fluidity, changes in membrane potential, antioxidative activity, 295
additive effect, acidic phospholipids, vesicle membranes, bilayer phase transition, cationic surfactants, 145
aggregation, phospholipid vesicles, dextran sulfate, fusion, electrophoresis, turbidity, fluorescence, 301
albumin, sulphatide, phosphatidylcholine, micelles, liposomes, 207
antibodies, PAF, radioimmunoassay, 265
antioxidative activity, phospholipid liposomes, tocopherols and tocotrienols, addition to the liposome solution, changes in membrane fluidity, changes in membrane potential, 295
atrazine, triazine pesticides, DPPC liposomes, FT-IR, DSC, fluorescence polarization, 179
azathia analogues, phospholipid synthesis, platelet activating factor analogues, ether lipids, 155

bacteriorhodopsin, circular dichroism (CD) active phospholipid, CD active liposomes, lipid-protein interaction, 115
bilayer phase transition, acidic phospholipids, vesicle membranes, additive effect, cationic surfactants, 145
biological membranes, liposomes, microsomes, photoreactive gangliosides, *N*-diazirinyl-lyso-G_{M1}, cholera toxin, 103
bipolar lipids, monopolar-bipolar lipid interactions, sonicated vesicles, ^{1}H-NMR, 85

calculations, lipid bilayers, crystal structures, energy minimization, conformation, 253
carboxylic acid or primary amine titration, ESR-spin labeling, vesicles, cysteamine, partition coefficient, surface potential, 133
cationic surfactants, acidic phospholipids, vesicle membranes, bilayer phase transition, additive effect, 145
CD active liposomes, circular dichroism (CD) active phospholipid, lipid-protein interaction, bacteriorhodopsin, 115
changes in membrane fluidity, phospholipid liposomes, tocopherols and tocotrienols, addition to the liposome solution, changes in membrane potential, antioxidative activity, 295
changes in membrane potential, phospholipid liposomes, tocopherols and tocotrienols, addition to the liposome solution, changes in membrane fluidity, antioxidative activity, 295
chemical synthesis, glycolipids, monoglucosyl diacylglycerols, monogalactosyl diacylglycerols, membrane lipids, 309
chemiluminescence, oxidation, linolenic acid, tocopherol, lipid, ESR, vitamin E, 215
cholera toxin, biological membranes, liposomes, microsomes, photoreactive gangliosides, *N*-diazirinyl-lyso-G_{M1}, 103
cholestane spin label, phosphatidylethanolamine, phosphatidylglycerol, ESR, reorientational dynamics, hydration, 123
cholesteryl phosphate, cholesteryl pyrophosphate, phosphatidylethanolamine, hexagonal phase, differential scanning calorimetry, 49
cholesteryl pyrophosphate, cholesteryl phosphate, phosphatidylethanolamine, hexagonal phase, differential scanning calorimetry, 49
circular dichroism (CD) active phospholipid, CD active liposomes, lipid-protein interaction, bacteriorhodopsin, 115
conformation, lipid bilayers, crystal structures, energy minimization, calculations, 253
continuous distribution analysis, multilamellar vesicles, phosphatidic acid, DPH and TMA-DPH, frequency-domain fluorometry, fluorescence lifetime, 29
crystal structures, lipid bilayers, energy minimization, conformation, calculations, 253
cyclopentanoid lipids, phosphatidic acids, polar head group geometry, electron paramagnetic resonance, differential scanning calorimetry, spin label, thermotropic lipid transitions, 231
cysteamine, ESR-spin labeling, vesicles, partition coefficient, surface potential, carboxylic acid or primary amine titration, 133

detergent, short chain phospholipids, ^{31}P-NMR, phase separation, membrane protein crystallization, polyethylene glycol, 351
deuterium-NMR, hydration, phosphatidylcholine multibilayers, spin-lattice relaxation, head-group dynamics, interbilayer water, 61
dextran sulfate, phospholipid vesicles, aggregation, fusion, electrophoresis, turbidity, fluorescence, 301
N-diazirinyl-lyso-G_{M1}, biological membranes, liposomes, microsomes, photoreactive gangliosides, cholera toxin, 103
differential scanning calorimetry, cholesteryl phosphate, cho-

lesteryl pyrophosphate, phosphatidylethanolamine, hexagonal phase, 49
differential scanning calorimetry, triglycerides, tripalmitin, polymorphism, kinetics, X-ray diffraction, 163
differential scanning calorimetry, lipid phase transition, sulfur-containing phosphatidylcholines, 323
differential scanning calorimetry, phosphatidic acids, polar head group geometry, cyclopentanoid lipids, electron paramagnetic resonance, spin label, thermotropic lipid transitions, 231
distribution of the esters, phosphonic acid diesters, egg yolk lecithin water systems, phase behaviour, orientational behavioural, ^{2}H- and ^{31}P-NMR, 1
DPH and TMA-DPH, multilamellar vesicles, phosphatidic acid, frequency-domain fluorometry, fluorescence lifetime, continuous distribution analysis, 29
DPPC liposomes, atrazine, triazine pesticides, FT-IR, DSC, fluorescence polarization, 179
DSC, atrazine, triazine pesticides, DPPC liposomes, FT-IR, fluorescence polarization, 179
DSC, X-ray diffraction, liposomes, propranolol, phase transitions, 331

egg yolk lecithin water systems, phosphonic acid diesters, phase behaviour, orientational behavioural, distribution of the esters, ^{2}H- and ^{31}P-NMR, 1
electron paramagnetic resonance, phosphatidic acids, polar head group geometry, cyclopentanoid lipids, differential scanning calorimetry, spin label, thermotropic lipid transitions, 231
electrophoresis, phospholipid vesicles, dextran sulfate, aggregation, fusion, turbidity, fluorescence, 301
energy minimization, lipid bilayers, crystal structures, conformation, calculations, 253
enrichment, solute entrapment, POPC vesicles, free-thaw extrusion, 73
ESR, oxidation, linolenic acid, tocopherol, lipid, chemiluminescence, vitamin E, 215
ESR, phosphatidylethanolamine, phosphatidylglycerol, cholestane spin label, reorientational dynamics, hydration, 123
ESR-spin labeling, vesicles, cysteamine, partition coefficient, surface potential, carboxylic acid or primary amine titration, 133
ether lipids, phospholipid synthesis, platelet activating factor analogues, azathia analogues, 155

fluorescence, phospholipid vesicles, dextran sulfate, aggregation, fusion, electrophoresis, turbidity, 301
fluorescence lifetime, multilamellar vesicles, phosphatidic acid, DPH and TMA-DPH, frequency-domain fluorometry, continuous distribution analysis, 29
fluorescence microscopy, phospholipase A_2, pyrenephospholipid, monolayers, Langmuir-Blodgett film, 55
fluorescence polarization, phosphatidylethanolamine, phosphatidylserine, plasmalogens, ^{31}P-NMR, X-ray diffraction, 41
fluorescence polarization, atrazine, triazine pesticides, DPPC liposomes, FT-IR, DSC, 179
fluorescent probes, membrane fluidity, phospholipid vesicles, partition coefficients, 13
free-thaw extrusion, solute entrapment, POPC vesicles, enrichment, 73
freeze fracture electron microscopy, pH-sensitive liposomes, phosphatidylethanolamine, hexagonal phase, 339
free fatty acids, partitioning of free fatty acids, phospholipid vesicles, 245
frequency-domain fluorometry, multilamellar vesicles, phosphatidic acid, DPH and TMA-DPH, fluorescence lifetime, continuous distribution analysis, 29
FT-IR, atrazine, triazine pesticides, DPPC liposomes, DSC, fluorescence polarization, 179
fusion, phospholipid vesicles, dextran sulfate, aggregation, electrophoresis, turbidity, fluorescence, 301

gangliosides, mixed micelles, phase separation, 223
glycolipids, chemical synthesis, monoglucosyl diacylglycerols, monogalactosyl diacylglycerols, membrane lipids, 309

head-group dynamics, hydration, phosphatidylcholine multibilayers, deuterium-NMR, spin-lattice relaxation, interbilayer water, 61
hexagonal phase, cholesteryl phosphate, cholesteryl pyrophosphate, phosphatidylethanolamine, differential scanning calorimetry, 49
hexagonal phase, pH-sensitive liposomes, phosphatidylethanolamine, freeze fracture electron microscopy, 339
hydration, phosphatidylcholine multibilayers, deuterium-NMR, spin-lattice relaxation, head-group dynamics, interbilayer water, 61
hydration, phosphatidylethanolamine, phosphatidylglycerol, ESR, cholestane spin label, reorientational dynamics, 123
hypoxia, lipid peroxides, lactate, 25

interbilayer water, hydration, phosphatidylcholine multibilayers, deuterium-NMR, spin-lattice relaxation, head-group dynamics, 61

kinetics, triglycerides, tripalmitin, polymorphism, X-ray diffraction, differential scanning calorimetry, 163

lactate, hypoxia, lipid peroxides, 25
Langmuir-Blodgett film, phospholipase A_2, pyrenephospholipid, monolayers, fluorescence microscopy, 55
linolenic acid, oxidation, tocopherol, lipid, chemiluminescence, ESR, vitamin E, 215
lipid-amino acid interaction, model membrane, X-ray scattering, swelling, pattern recognition approach, tryptophan, 283
lipid-protein interaction, circular dichroism (CD) active phospholipid, CD active liposomes, bacteriorhodopsin, 115
lipid, oxidation, linolenic acid, tocopherol, chemiluminescence, ESR, vitamin E, 215
lipid bilayers, crystal structures, energy minimization, conformation, calculations, 253
lipid bilayers, sponge phase, phase transition, 191
lipid peroxides, hypoxia, lactate, 25
lipid phase transition, sulfur-containing phosphatidylcholines, differential scanning calorimetry, 323

liposomes, biological membranes, microsomes, photoreactive gangliosides, *N*-diazirinyl-lyso-G$_{M1}$, cholera toxin, 103
liposomes, DSC, X-ray diffraction, propranolol, phase transitions, 331
liposomes, sulphatide, phosphatidylcholine, albumin, micelles, 207

membrane fluidity, fluorescent probes, phospholipid vesicles, partition coefficients, 13
membrane lipids, chemical synthesis, glycolipids, monoglucosyl diacylglycerols, monogalactosyl diacylglycerols, 309
membrane protein crystallization, short chain phospholipids, ^{31}P-NMR, phase separation, detergent, polyethylene glycol, 351
micelles, sulphatide, phosphatidylcholine, albumin, liposomes, 207
microsomes, biological membranes, liposomes, photoreactive gangliosides, *N*-diazirinyl-lyso-G$_{M1}$, cholera toxin, 103
mixed micelles, gangliosides, phase separation, 223
model membrane, X-ray scattering, swelling, pattern recognition approach, lipid-amino acid interaction, tryptophan, 283
monogalactosyl diacylglycerols, chemical synthesis, glycolipids, monoglucosyl diacylglycerols, membrane lipids, 309
monoglucosyl diacylglycerols, chemical synthesis, glycolipids, monogalactosyl diacylglycerols, membrane lipids, 309
monoglyceride, phase diagram, sucrose, water, X-ray diffraction, 97
monolayers, phospholipase A$_2$, pyrenephospholipid, fluorescence microscopy, Langmuir-Blodgett film, 55
monopolar-bipolar lipid interactions, bipolar lipids, sonicated vesicles, ^{1}H-NMR, 85
multilamellar vesicles, phosphatidic acid, DPH and TMA-DPH, frequency-domain fluorometry, fluorescence lifetime, continuous distribution analysis, 29

^{2}H- and ^{31}P-NMR, phosphonic acid diesters, egg yolk lecithin water systems, phase behaviour, orientational behavioural, distribution of the esters, 1
^{1}H-NMR, bipolar lipids, monopolar-bipolar lipid interactions, sonicated vesicles, 85
^{31}P-NMR, phosphatidylethanolamine, phosphatidylserine, plasmalogens, fluorescence polarization, X-ray diffraction, 41
^{31}P-NMR, short chain phospholipids, phase separation, detergent, membrane protein crystallization, polyethylene glycol, 351

orientational behavioural, phosphonic acid diesters, egg yolk lecithin water systems, phase behaviour, distribution of the esters, ^{2}H- and ^{31}P-NMR, 1
oxidation, linolenic acid, tocopherol, lipid, chemiluminescence, ESR, vitamin E, 215
ozonolysis, polyunsaturated fatty esters, 67

PAF, radioimmunoassay, antibodies, 265
partitioning of free fatty acids, free fatty acids, phospholipid vesicles, 245
partition coefficient, ESR-spin labeling, vesicles, cysteamine, surface potential, carboxylic acid or primary amine titration, 133
partition coefficients, fluorescent probes, membrane fluidity, phospholipid vesicles, 13
pattern recognition approach, model membrane, X-ray scattering, swelling, lipid-amino acid interaction, tryptophan, 283
pH-sensitive liposomes, phosphatidylethanolamine, freeze fracture electron microscopy, hexagonal phase, 339
phase behaviour, phosphonic acid diesters, egg yolk lecithin water systems, orientational behavioural, distribution of the esters, ^{2}H- and ^{31}P-NMR, 1
phase diagram, monoglyceride, sucrose, water, X-ray diffraction, 97
phase separation, gangliosides, mixed micelles, 223
phase separation, propylgallate, phospholipid, phase transition, subtransition, 275
phase separation, short chain phospholipids, ^{31}P-NMR, detergent, membrane protein crystallization, polyethylene glycol, 351
phase transition, propylgallate, phospholipid, subtransition, phase separation, 275
phase transitions, DSC, X-ray diffraction, liposomes, propranolol, 331
phase transitions, lipid bilayers, sponge phase, 191
phosphatidic acid, multilamellar vesicles, DPH and TMA-DPH, frequency-domain fluorometry, fluorescence lifetime, continuous distribution analysis, 29
phosphatidic acids, polar head group geometry, cyclopentanoid lipids, electron paramagnetic resonance, differential scanning calorimetry, spin label, thermotropic lipid transitions, 231
phosphatidylcholine, sulphatide, albumin, micelles, liposomes, 207
phosphatidylcholine multibilayers, hydration, deuterium-NMR, spin-lattice relaxation, head-group dynamics, interbilayer water, 61
phosphatidylethanolamine, phosphatidylglycerol, ESR, cholestane spin label, reorientational dynamics, hydration, 123
phosphatidylethanolamine, phosphatidylserine, plasmalogens, fluorescence polarization, ^{31}P-NMR, X-ray diffraction, 41
phosphatidylethanolamine, cholesteryl phosphate, cholesteryl pyrophosphate, hexagonal phase, differential scanning calorimetry, 49
phosphatidylethanolamine, pH-sensitive liposomes, freeze fracture electron microscopy, hexagonal phase, 339
phosphatidylglycerol, phosphatidylethanolamine, ESR, cholestane spin label, reorientational dynamics, hydration, 123
phosphatidylserine, phosphatidylethanolamine, plasmalogens, fluorescence polarization, ^{31}P-NMR, X-ray diffraction, 41
phospholipase A$_2$, pyrenephospholipid, monolayers, fluorescence microscopy, Langmuir-Blodgett film, 55
phospholipid, propylgallate, phase transition, subtransition, phase separation, 275
phospholipid liposomes, tocopherols and tocotrienols, addition to the liposome solution, changes in membrane fluid-

ity, changes in membrane potential, antioxidative activity, 295
phospholipid synthesis, platelet activating factor analogues, azathia analogues, ether lipids, 155
phospholipid vesicles, dextran sulfate, aggregation, fusion, electrophoresis, turbidity, fluorescence, 301
phospholipid vesicles, fluorescent probes, membrane fluidity, partition coefficients, 13
phospholipid vesicles, free fatty acids, partitioning of free fatty acids, 245
phosphonic acid diesters, egg yolk lecithin water systems, phase behaviour, orientational behavioural, distribution of the esters, ^{2}H- and ^{31}P-NMR, 1
photoreactive gangliosides, biological membranes, liposomes, microsomes, *N*-diazirinyl-lyso-G_{M1}, cholera toxin, 103
plasmalogens, phosphatidylethanolamine, phosphatidylserine, fluorescence polarization, ^{31}P-NMR, X-ray diffraction, 41
platelet activating factor analogues, phospholipid synthesis, azathia analogues, ether lipids, 155
polar head group geometry, phosphatidic acids, cyclopentanoid lipids, electron paramagnetic resonance, differential scanning calorimetry, spin label, thermotropic lipid transitions, 231
polyethylene glycol, short chain phospholipids, ^{31}P-NMR, phase separation, detergent, membrane protein crystallization, 351
polymorphism, triglycerides, tripalmitin, kinetics, X-ray diffraction, differential scanning calorimetry, 163
polyunsaturated fatty esters, ozonolysis, 67
POPC vesicles, solute entrapment, free-thaw extrusion, enrichment, 73
propranolol, DSC, X-ray diffraction, liposomes, phase transitions, 331
propylgallate, phospholipid, phase transition, subtransition, phase separation, 275
pyrenephospholipid, phospholipase A_2, monolayers, fluorescence microscopy, Langmuir-Blodgett film, 55

radioimmunoassay, PAF, antibodies, 265
reorientational dynamics, phosphatidylethanolamine, phosphatidylglycerol, ESR, cholestane spin label, hydration, 123

short chain phospholipids, ^{31}P-NMR, phase separation, detergent, membrane protein crystallization, polyethylene glycol, 351
solute entrapment, POPC vesicles, free-thaw extrusion, enrichment, 73
sonicated vesicles, bipolar lipids, monopolar-bipolar lipid interactions, ^{1}H-NMR, 85
spin-lattice relaxation, hydration, phosphatidylcholine multibilayers, deuterium-NMR, head-group dynamics, interbilayer water, 61
spin label, phosphatidic acids, polar head group geometry, cyclopentanoid lipids, electron paramagnetic resonance, differential scanning calorimetry, thermotropic lipid transitions, 231
sponge phase, lipid bilayers, phase transition, 191
subtransition, propylgallate, phospholipid, phase transition, phase separation, 275
sucrose, phase diagram, monoglyceride, water, X-ray diffraction, 97
sulfur-containing phosphatidylcholines, lipid phase transition, differential scanning calorimetry, 323
sulphatide, phosphatidylcholine, albumin, micelles, liposomes, 207
surface potential, ESR-spin labeling, vesicles, cysteamine, partition coefficient, carboxylic acid or primary amine titration, 133
swelling, model membrane, X-ray scattering, pattern recognition approach, lipid-amino acid interaction, tryptophan, 283

thermotropic lipid transitions, phosphatidic acids, polar head group geometry, cyclopentanoid lipids, electron paramagnetic resonance, differential scanning calorimetry, spin label, 231
tocopherol, oxidation, linolenic acid, lipid, chemiluminescence, ESR, vitamin E, 215
tocopherols and tocotrienols, phospholipid liposomes, addition to the liposome solution, changes in membrane fluidity, changes in membrane potential, antioxidative activity, 295
triazine pesticides, atrazine, DPPC liposomes, FT-IR, DSC, fluorescence polarization, 179
triglycerides, tripalmitin, polymorphism, kinetics, X-ray diffraction, differential scanning calorimetry, 163
tripalmitin, triglycerides, polymorphism, kinetics, X-ray diffraction, differential scanning calorimetry, 163
tryptophan, model membrane, X-ray scattering, swelling, pattern recognition approach, lipid-amino acid interaction, 283
turbidity, phospholipid vesicles, dextran sulfate, aggregation, fusion, electrophoresis, fluorescence, 301

vesicles, ESR-spin labeling, cysteamine, partition coefficient, surface potential, carboxylic acid or primary amine titration, 133
vesicle membranes, acidic phospholipids, bilayer phase transition, additive effect, cationic surfactants, 145
vitamin E, oxidation, linolenic acid, tocopherol, lipid, chemiluminescence, ESR, 215

water, phase diagram, monoglyceride, sucrose, X-ray diffraction, 97

X-ray diffraction, DSC, liposomes, propranolol, phase transitions, 331
X-ray diffraction, phase diagram, monoglyceride, sucrose, water, 97
X-ray diffraction, phosphatidylethanolamine, phosphatidylserine, plasmalogens, fluorescence polarization, ^{31}P-NMR, 41
X-ray diffraction, triglycerides, tripalmitin, polymorphism, kinetics, differential scanning calorimetry, 163
X-ray scattering, model membrane, swelling, pattern recognition approach, lipid-amino acid interaction, tryptophan, 283

Chemistry and Physics of Lipids, 55 (1990) 359—360
Elsevier Scientific Publishers Ireland Ltd.

Author Index

Volume 55

Ahmad, T.Y. 231
Albertini, G. 179, 283, 331
Ambrosini, A. 179
Arnold, K. 301

Beck, A. 13
Berleur, F. 133
Bertoia, D. 85
Bertoli, E. 179
Bonnet, P.-A. 133
Bottega, R. 49
Brockman, H.L. 231

Cantù, L. 223
Carrillo, M.J.H. 295
Chachaty, C. 351
Chapman, C.J. 73
Chigorno, V. 207
Collins, D. 339
Colotto, A. 283
Connor, J. 339
Corti, M. 223
Curatola, G. 29, 179

De Rosa, M. 85
Donati, C. 331
Ducret, F. 215
Duportail, G. 13

Eikelenboom, K.A. 123
Eisele, J.-L. 351
Eklund, K.K. 55
Epand, R.M. 49
Erdahl, W.L. 73

Fatome, M. 133
Fukushima, K. 145

Gambacorta, A. 85
Ghidoni, R. 207
Giglioni, A. 207
Gliozzi, A. 85
Goldfine, H. 41
Gómez-Fernández, J.C. 245
Gotto Jr., A.M. 231
Gratton, E. 29
Gruner, S.M. 41

Haage, K. 1
Hajdu, J. 323
Hancock, A.J. 231
Harbich, W. 191
Heissler, D. 13
Helfrich, W. 191
Huang, L. 339

Inoue, T. 145
Ishinaga, M. 275

Kaufman, A.E. 41
Kellens, M. 163
Kinnunen, P.K.J. 55
Klose, G. 1
Korstanje, L.J. 123
Krumbiegel, M. 301

Lambelet, P. 215
Levine, Y.K. 123
Lewis, E.O. 231
Lewis, R.N.A.H. 309
Ljusberg-Wahren, H. 97
Löliger, J. 215

Maeda, A. 115
Mannock, D.A. 309
Mariani, P. 283
McElhaney, R.N. 309
Meeussen, W. 163
Meier, E.M. 103
Micol, V. 245
Minyailenko, T.D. 25
Mirghani, Z. 85
Mittelbach, M. 67
Möps, A. 1
Morrisett, J.D. 231
Mukai, K. 275

Narayan, O. 41
Neumann, J.-M. 351
Nishiya, T. 115

Ohki, S. 301
Ortiz, A. 245

Palestini, P. 207

Pfeiffer, D.R. 73
Phadke, R.S. 331
Pitto, M. 207
Poklukar, N. 67
Ponzi Bossi, M.G. 331
Pownall, H.J. 231
Pozharov, V.P. 25

Reynaers, H. 163
Robinson, K. 49
Roman, V. 133
Roth, H.J. 155
Rustichelli, F. 331

Sable, H.Z. 231
Sandhoff, K. 103
Saucy, F. 215
Schummer, D. 103
Seredenko, M.M. 25
Shomozawa, R. 145
Söderberg, I. 97
Sonnino, S. 223
Sturtevant, J.M. 323
Suezaki, Y. 145

Tai, H.-H. 265
Tanfani, F. 179
Taylor, R.W. 73
Tettamanti, G. 223
Thuren, T. 55
Ting-Beall, H.-P. 339

Ulrich, A.S. 61

Valsecchi, M. 207
van der Reijden, C.S. 123
van Ginkel, G. 123
Vanderkooi, G. 253
Virtanen, J.A. 55
Volke, F. 61

Wang, C.-j. 265
Watts, A. 61

Yamaoka, M. 295

Zeidler, J.M. 155
Zimmermann, W. 155
Zolese, G. 29, 179